



Ergonomic Articulating Arms for Flat Panel Monitors

Single/Dual Monitor Slatwall Solutions




KONWL9D

Dual arm, height-adjustable slatwall mount adjusts up to 13".



KONWL3B

Direct slatwall mount.



KONWL4B

Dual arm, dual monitor lateral adjustment slatwall mount.



KONWL10D

Dual arm, dual monitor, height-adjustable slatwall mount includes two independent arms. Adjusts up to 13".



KONWL2B

Dual arm, vertical dual monitor mount includes slight height adjustment.



KONWL13D

Dual arm, height-adjustable slatwall mount adjusts up to 13", with Extreme Tilt range.

Eaton Item #	KONWL2B	KONWL3B	KONWL4B	KONWL9D	KONWL10D	KONWL13D
Dynamic Height Adjustment	-	-	-	13" (330.2mm)	13" (330.2mm)	13" (330.2mm)
Maximum Extension	16.2" (411.5mm)	-	18.6" (472.4mm)	21.0" (533.4mm)	16.5" (418.6mm)	21.0" (533.4mm)
Minimum Depth	8.1" (205.5mm)	2.9" (74.7mm)	5.9" (150.6mm)	2.1" (53.1mm)	3.0" (75.7mm)	2.1" (53.1mm)
Tilt	+/- 10°	+/- 15°	+/- 15°	+/- 15°	+/- 15°	+ 75° / - 10°
Typical Screen Sizes (diagonal)	10 - 30"	10 - 30"	10 - 30"	10 - 30"	10 - 30"	10 - 30"
Monitor Width Range	-	10 - 34" (254 - 864mm)	10 - 34" (254 - 864mm)	10 - 34" (254 - 864mm)	10 - 34" (254 - 864mm)	10 - 34" (254 - 864mm)
Monitor Height Range	10 - 17.7" (254 - 450mm)	-	-	-	-	-
Wall Stud Compatibility (inches)	Slatwall	Slatwall	Slatwall	Slatwall	Slatwall	Slatwall
MAX Weight Capacity (per monitor)	15 lbs (6.8kg)	40 lbs (18.1kg)	17 lbs (7.5kg)	25 lbs (11.3kg)	25 lbs (11.3kg)	25 lbs (11.3kg)

Single/Dual Monitor Grommet Solutions




KONWL6B

Dual monitor grommet mounts. Includes 32" pole mount with slight height adjustment. Includes decorative snap-on cable cover.



KONWL8B

Dual monitor grommet mounts. Includes 28" pole mount with generous height adjustment. Decorative snap-on cable cover.



KONWL7B

Dual monitor grommet mount. Includes 14" pole mount and decorative snap-on cable cover.

Eaton Item #	KONWL6B	KONWL7B	KONWL8B	KONWL11D	KONWL12D
Dynamic Height Adjustment	-	-	-	13" (330.2mm)	13" (330.2mm)
Maximum Extension	-	20.0" (508mm)	20.0" (508mm)	19.9" (505.5mm)	-
Minimum Depth	-	7.0" (177.8mm)	7.0" (177.8mm)	2.1" (53.1mm)	-
Tilt	+/- 10°	+/- 15°	+/- 15°	+/- 15°	+/- 15°
Typical Screen Sizes (diagonal)	Up to 30"	10-24"	10-24"	10 - 30"	10 - 30"
Monitor Width Range	-	22.7"	22.7"	10 - 34" (254 - 864mm)	10 - 34" (254 - 864mm)
Wall Stud Compatibility (inches)	Pole	Pole	Pole	Clamp	Clamp
MAX Weight Capacity (per monitor)	15.0 lbs (6.8 kg)	15.0 lbs (6.8 kg)	15.0 lbs (6.8 kg)	25.0 lbs (11.3kg)	25.0 lbs (11.3kg)

Single/Dual Monitor Desk Mount Solutions



KONWL11D

Dual arm, single monitor, height-adjustable desk clamp. Includes clamp, grommet or bolt-through mounting options.



KONWL12D

Dual arm, dual monitor, desk clamp. Includes independent arms for larger monitor sizes.


Advanced Monitor Column Solutions




KONWLK0B
Pitch/pivot column
head kit



KONWLK1B
Dynamic height
adjustable column
arm kit



KONWLK2B
Articulating column
arm kit



KONWLK2DU0B
Articulating dual monitor
array column arm kit



KONWLC20B
20" Monitor
mounting column &
base plate kit



KONWLC30B
30" Monitor mounting
column & base plate kit



TOACJSBUB
Universal flat
panel interface
bracket, black
(26-45" displays)



KONRA300B
Laptop tray
accessory with
quick connect
plate and hardware
allows any dynamic
height adjust arm
to hold a laptop
and docking
station.

Eaton Item #	KONWLK0B	KONWLK1B	KONWLK2B	KONWLK2DU0B	KONWLC20B	KONWLC30B	TOACJSBUB
Dynamic Height Adjustment	-	13" (330 mm)	-	-	-	-	-
Maximum Extension	-	20.67" (525.0 mm)	17.7" (449.6 mm)	17.7" (449.6 mm)	-	-	-
Minimum Depth	3.71" (94.2 mm)	3.71" (94.2 mm)	4.2" (106.7 mm)	3.71" (94.2 mm)	-	-	0.24" (6.1 mm)
Tilt	+ 75° / - 10°	+ 75° / - 10°	+ 75° / - 10°	+/- 15°	-	-	-
Typical Screen Sizes (diagonal)	10 - 32" diagonals	10 - 32" diagonals	10 - 32" diagonals	10 - 32" diagonals	-	-	32" - 55" diagonals
Monitor Width Range	-	-	-	Up to 30.0" (762 mm)	-	-	-
MAX Weight Capacity (per monitor)	40 lbs (18.1 kg)	25 lbs (11.3 kg)	40 lbs (18.1 kg)	15 lbs (6.8 kg)	80 lbs (36.2 kg)	80 lbs (36.2 kg)	75 lbs. (34 kg)

Features



Sleek, solidly-constructed forged aluminum arms accommodate larger and heavier monitors.



Dynamic height adjustment feature uses gas-spring technology. Tool-free cable management covers create a clean, professional look.



Simple 3-step installation and integrated quick-connect interface for easy mounting and maintenance.



Patented Centris Extreme Tilt adjusts -75°/+10° for an ultimate ergonomic solution (available on select models).

 **WhiteSpace**
Canada Inc.

EATON

Powering Business Worldwide

© 2017 Eaton
All Rights Reserved
Publication No. BR210005EN

For more information, contact
WhiteSpace Canada at 1-800-667-4020
or email us at info@whitespacecis.ca